

Instant Productivity at Your Fingertips

Océ PlotWave 500 printing system





Cloud integrated, advanced large format technical document management

Take control of document costs and project workflows with the instant productivity of the Océ PlotWave® 500 large format printer, copier, and scanner. Printing and collating documents inefficiently can be costly and eat up the valuable time of knowledge workers. With this black & white large format workhorse, you have the power you need to print faster, share faster, and finish projects faster.

GET A COMPACT SINGLE-FOOTPRINT WORKHORSE

The Océ PlotWave 500 printing system is built for fast production — at an impressive ten D-size/A1 drawings per minute and up to four rolls of media. That's up to 600 prints per hour! It starts printing from sleep mode in less than 17 seconds thanks to Océ Radiant Fusing technology, compared to a slow start-up of four minutes for some conventional printers. That can easily save you an hour or more just in printing delays. And while printing, there is no need to wait to scan. You can print and scan concurrently.

Just like the Océ PlotWave 340/360 printing system, walk-up users interact with this printer like a smartphone/tablet thanks to the 10.4" color LCD touchscreen

interface with multi-touch. That means CAD professionals are already familiar with the Océ ClearConnect user interface from the onset. And true to its name, Océ ClearConnect makes the right connections to get the job done. Print on the way to your next meeting or from a job site — to keep work moving even when you can't get to the printer.

Many of today's architectural, engineering, and construction firms across the globe have been built using Océ technical document systems. CAD professionals in a variety of technical industries can react faster and work more efficiently thanks to our productive, innovative, and easy-to-use printing systems, making the Océ PlotWave 500 printer an effective solution for today's technical document workflow challenges.

ENJOY WORKFLOW WITHOUT THE WORK

Being able to submit files to your large format printer from anywhere can give you a big advantage when time is tight and deadlines are looming. The Océ ClearConnect software suite gives you more flexible ways to submit files to the printer. Print from your desktop via Océ Publisher Select™ software to manage complex document sets. With Océ Publisher Mobile, print from your smartphone or tablet when you are rushing to a meeting. Knowing you can print when you need to, can take some of the stress out of your work day.







OCÉ PLOTWAVE 500 PRINTER HIGHLIGHTS

Incredibly fast print out

Virtually silent* in Standby and Sleep (*under 25 dB)

Accelerated first print out from standby mode (D-size/A1)

Average print from sleep mode (D-size/A1)

Effortless roll changing

High capacity document delivery

Effortless job submission

Océ ClearConnect multi-touch user interface (standard)

High print quality

Future proof connectivity

SYSTEM CONFIGURATIONS

2 Rolls printing system (standard)

Productive scanning system (optional)

Folding systems (optional)

Stacking system (standard)

Stacking system (optional)

Media capacity upgrade (optional)

Workflow software (standard)

Workflow software (optional)

Hardware optionals

Starter kit included

GENERAL

User interface

Imaging technology

Fusing technology

Toner/ type

Speed (print and copy):

First copy output time from standby mode (D-size/A1) $\,$

Resolution

Size main engine $(W \times D \times H)$

Weight main engine

MEDIA HANDLING

Media capacity

Paper cutting

Maximum paper capacity

Media sizes

Media weight (min. / max.)

Roll width (min./max.)

Minimum printed length

Maximum printed length

Print speed of 10 ppm (D-size/A1)

1-click printing from USB, 1-click printing from Océ Smart Inbox or last send job (Océ SmartAccess) Instant start-up with Océ Radiant Fusing technology

Océ Radiant Fusing technology eliminates noise

16 seconds

30 seconds

Simple and easy, motor fed media loading, one media cutter per drawer, automatic media width detection

Double capacity (100 E-size/A0) Top Delivery Tray supporting longer runs and higher productivity

Green button design: what you see is what you print resulting in first time right result

Consistent look and feel from every angle of your workflow, standard including Océ Smart Inbox, Océ SmartAccess, and Océ Live Preview

Océ Pico printing and Océ Image Logic technology enables the best print quality possible

Cloud connected and Smartdevice enabled system

Productive large format B&W printer with Océ ClearConnect multi-touch user interface

Océ Scanner Express II with Océ Image Logic technology

Océ 4312 FullFold, Océ 2400 FanFold

Integrated Top Delivery Tray, 100 sheets capacity (100 E-size/A0)

Océ Delivery Tray (up to 150 sheets)

Additional 2 rolls media drawer to increase media capacity

Océ Large Format Printer Driver 2.0 for Microsoft® Windows®, Océ PostScript® 3™ driver,

Océ Mobile WebTools for iOS®, Android® and BlackBerry®, Océ Publisher Mobile for iOS and Android,

Océ Publisher Express, Océ Publisher Select

Océ View Station, Océ Client Tools™ software, Adobe® PostScript 3/PDF file interpreter, Océ Repro Desk® software, Océ Account Center

Media drawer with standard 2 rolls, Scanner Express II, Océ 2400 FanFold, Océ 4312 FullFold, high capacity Océ Delivery Tray

1 bottle toner 450 gr., 1 bottle developer 1750 gr., 1 roll 36" media bond (20 lb.)

Océ ClearConnect with multi-touch, LiveView and Preview on the Océ ClearConnect user panel,

1-click printing by Océ SmartAccess

Electrophotography (LED) with Organic photoconductor (OPC), Océ Radiant Fusing Technology with instant warm up, clean toner refill system, virtually no ozone emission

Océ Radiant Fusing technology

Océ black toner: 450 grams per bottle

10 D-size/A1 ppm, 5 E-size/A0 ppm

19 seconds

600 × 1200 dpi

Compact design: $60.1" \times 31.6" \times 58.9"$ ($1527 \times 803 \times 1495$ mm) (including top delivery tray)

585 lbs. (265 kg.)

2 or 4 rolls (i.e. 1 or 2 media drawers)

Cutters included in drawers for fast and easy media switching

 $2\ roll:\ 3{,}900\ sq.\ ft.\ (365\ m^2)\ 4\ roll:\ 7{,}800\ sq.\ ft.\ (730\ m^2)$

ARCH: B, C, D, E, E1, 30", 21", 15" ANSI: B, C, D, E ISO: A3, A2, A1, A0, B2, B1, B2_700, B1_700

16 - 28 lb. (60 - 110 g/m²)

11" – 36" (279 – 914 mm)

11" (279 mm)

577' (176 meters)





MEDIA HANDLING CONTINUED

Output delivery

Media Type (www.csa.canon.com)

USER INTERFACE

Description

Size $(W \times D \times H)$

Resolution

Number of colors

Technology

Operation

Interface design

Features

CONTROLLER

Description

Processor Memory

Video

Hard disk

Interface

Page description language

Printing protocol:

Back Channel Protocol:

Security

Cloud support

Transformations

SCANNER

Description

Scan resolution

Scan speed

Scan formats

Scan destination

Scan naming

Original width (min./ max.)

Original length (min./ max.)
Original thickness

Zoom

Preset modes

Size scanner ($W \times D \times H$)

Weight scanner

Top (default): Top Delivery Tray (100 E-size/A0)

Rear (optional): rear output to Océ Delivery Tray, Océ 4312 FullFold, or Océ 2400 FanFold

Paper, Engineering Bond, Vellum, Recycled Bond, Tinted Bond, Film: Polyester 3.5 mil

Océ ClearConnect multi-touch user interface

 $11.8" \times 8.7" \times 1.6"$ (300 × 220 × 40 mm) Touch screen: 10.4" (diag.) Color LCD (264 mm diag.)

 800×600 pixels

16.2 Million

Projective capacitive touch

Three hard buttons: [Wake-up], [Stop, interrupt, abort], [Home]

Multi-touch functions: tap, double tap, pinch, swipe, flick, and spread

IF design award: distinctive user interface and intuitive navigation and clearly defined levels of operation

View optimization: Tilt (-4 to +45 degrees) and turn (-45 to +180 degrees)

Status light (red, orange, green)

USB 2.0 interface with indication light

Océ PowerM® controller with Windows 7 Embedded Standard (WES7), 32 bits

Dual-Core G540 @ 2.50GHz

4 GB DDR3 (standard)

Intel HD Graphics, 1GHz

500 GB, 7200 грт

Ethernet 100 Mbits/s, 1 Gbit/s

TCP/IP: DHCP,IPv4, IPv6, https

Discovery: APIPA, WSD

TIFF, JPEG, HPGL, HPGL2, DWF, C4, Calcomp 906/907/951, CALS, NIRS, NIFF, PS/PDF (optional)

LPR, FTP, WebDav, WSD print

SNMP printer MIB, Océ Wave interface 1.2, WSD

E-shredding, IPSec, HTTPS, extended security protection for administrator, audit logging. User authentication on local UI for FTP, SMB and WebDav. Configure HTTPS Certificates.

Unlimited user and/or Administrator authenticated cloud support via WebDav and/or third party provider: e.g. Microsoft SharePoint®, Dropbox®, Box.com, box.net, Google® Drive®, Microsoft SkyDrive®, Amazon®, CloudSafe®, MyDisk®.

Scaling: Scaling (scale-to-fit page, reduce when image too large to avoid clipping or to custom factor, scale page size to standard size), Rotation, Shift (automatic or user defined), Adding/removing trailing/leading edge, Mirror, Black intensity in poster mode, Print optimization (standard, lines/text, poster). Color Highlight and Dark Original.

Contact Image Sensor (CIS) Color scanner with Océ Image Logic technology

 $600 \times 600 \text{ dpi}$

Up to 47.9 ft./min (14.6 m/min) Black & White scanning

Up to 31.8 ft./min (9.7 m/min) Copying

Up to 15.7 ft./min (4.8 m/min) Color scanning

TIFF, PDF, PDF/A, JPEG, CALS, multi-page PDF, multi-page PDF/A and multi-page TIFF

Local USB flash drive, FTP, SMB, Controller, mobile device via Océ Mobile WebTools, WebDav Cloud

Preset naming with auto numbering for productive scanning or file name on the Océ ClearConnect user panel keyboard

8.2" - 36" (208 - 914 mm)

8.2"- 52.5' (208 mm - 16 m)

Maximum 0.03" (0.8 mm) non-rigid documents

1:1, Scale to media size , Scale to standard format, Custom: 10-1000%

Lines & text, Lines & text draft, Folded lines & text, Photo, Colored, Dark original, Blueprint, Color Highlight

43" × 12" × 5.5" (1,097 × 308 × 140 mm)

46 lbs. (21 kg.)



ENVIRONMENTAL

Sound power level

Ozone concentration

Heat emission

Power requirements

Power consumption

Safety/EMC marks & environmental labels

Recyclables

OCÉ WORKFLOW SOFTWARE

Job submission

Queue Management

Print management

Scan to file



Standby and Sleep modes: less than 25 dB

Print mode: less than 55 dB

<0.001 mg/m³ (0.05% of permitted limit value)

Ready: 72 W, Active: 1.6 kW

90 - 240 V, 50/60 Hz

Sleep Mode: 1 W Ready Mode: 88 W Active Mode: 1.5 kW

CE, TUV GS, CETECOM, C-UL-US, Energy Star 2.0, FEMP

Printer: made of steel or highly recyclable plastics: up to 95% of the engine can either be upcycled or recycled.

Remaining 5% are non toxic waste.

Toner: bottles made of highly recyclable HDPE (High Density Polyethylene)

Create, retrieve and/or send jobs from drivers (Océ Large Format Printer Driver 2.0 for Microsoft Windows, Océ PostScript 3 driver), external locations (SMB, FTP, LPR, WebDav), Mobile devices via Océ Express WebTools and Océ Publisher Mobile, USB flash drive, Cloud services. 1-click printing from USB, 1-click printing of last send jobs by Print SmartAccess on Océ ClearConnect user panel. Smart Inbox on Océ ClearConnect user panel enables job preview, swipe between your jobs for print selection and preview. Pan to view the image in detail (zoom). Multiple files and originals are supported. Print multiple times, and sort by page or set. Media saving automatically rotates originals to optimize media usage.

Full support of Adobe PostScript 3.

Spool memory provides a queuing system for print or copy jobs. This allows multiple users to send print and copy jobs at the same time. Customize priority settings for copy and print jobs in the queue.

Queue overview gives access to job names, owners and status including required media. Jobs can be paused, deleted and placed on top of the queue.

View counter history at preferred time periods, per job or total overview. View, create, edit and delete stamp templates.

Océ Scanner Express II offers full hybrid performance with its scan-to-file functionality. Send files, via SMB, FTP, LPR, WebDAV, to various locations such as local drives, personal Smart Inboxes, or the cloud application of your choice.

Scan to USB or use Océ Mobile WebTools and Océ Publisher Mobile to scan to mobile device.

Custom scan file naming to any location. Checkplot functionality. Océ ClearConnect supports Live Preview of the scanning process on the user panel.

Full support of Adobe PostScript 3.



Creating global leadership in printing

Canon and Océ join forces to create the global leader in the printing industry. For our customers this combines Canon and Océ technology with the support of the Océ direct sales and service organizations. Look to the new Canon-Océ combination for:

- Enterprise printing in the office and corporate printroom
- Large format printing of technical documentation, signage and display graphics
- Production printing for marketing service bureaus and graphic arts
- Business services for document process outsourcing

For information and services, visit us at:

www.csa.canon.com



Large Format Solutions

100 Park Boulevard Itasca, IL 60143

1-800-714-4427 | 1-630-250-6550 email: us.info@csa.canon.com

LFS-51314 DS 6/14 CC1/PDF